




MYJ HLM3 Ambient Lighting Door Handle Bowl Lights Upgrade Kit-4PCS Installation Manual



Installation Video



Installation Manual



Tutorial Manual & Video

Scan the QR code to get the manual & video

Need Help? Contact Us Now!



Call us at **1 (949) 992-7017**



Email: inquiry@hansshow.com



<https://www.hansshow.com/>

If you have any questions
Installation: 19493584793

Warnings and Disclaimers

Important notice: You are welcome to purchase our company's products. In order to protect the legitimate rights and interests of users, we hereby remind users that you must carefully read and fully understand the terms of this statement before using this product. If you use this product, your use will be deemed to be an acknowledgment of the entire content of this statement, and you agree to be bound by the following terms of this statement, and at the same time bear the consequences caused by irregular use. Hansshow Company reserves the right to update the above documents. Please be sure to operate this product according to the instructions.

Telephone: 1 (949) 992-7017

Installation: 19493584793

Email: inquiry@hansshow.com

(UTC-7/PST) 9:00AM-6:30PM (Monday to Friday)

Precautions for Use

- 1-Before installation, check whether the product list is complete or damaged.
- 2-The installation instructions may be slightly different from the actual operation. If there is any difference, please contact us according to the actual situation.
- 3-Warning: Please do not disassemble any parts by yourself. Any improper operation is not covered by the warranty.
- 4-Before installing the product, watch the installation video and instructions.
- 5-Check whether the installed product functions normally.

Installation Video

Scan the QR code



Package Included:




①	Door Handle Light*4	②	Power Cable*4

NOTE: For faster installation, be sure to read these instructions carefully.



1. Remove red decorative cover on the side of the front door.




2. Remove the bolts on the side of the front door panel.




3. Unscrew front-facing door panel screws.




4. Remove the tweeter speaker.




5. Unplug the tweeter harness.



6. Use a plastic pry tool to lift and remove the door panel.






7. Unplug all wiring harnesses from the door panel.



8. Remove the trim under the door handle.



9. Route the armrest light cable through the gap under the handle. (Peel off some white sheath to ease routing if needed.)




10. Peel off the double-sided tape backing of the light.



11. Clip the top part of the light into the door handle gap.



12. Stick the lower part of the light onto the handle.




13. Connect the power cable to the ambient light power port.



14. Connect the armrest light to the power cable.




15. Reinstall the trim under the handle.



16. Reconnect all wiring to the door panel.



17. Reinstall and screw the door panel back in place.



1. Unscrew the two bolts securing the rear door trim panel.




2. Use a plastic pry tool to lift and remove the panel from the bottom.




3. Unplug all wiring harnesses and clips.




4. Remove the trim below the handle.



5. Peel off a section of the white sheath on the armrest light cable for easier concealment.




6. Tuck the cable into the gap below the handle.



7. Remove the tape backing from the light.



8. Insert the top side of the light into the gap, and stick the bottom side to the handle.




9. Connect the power cable to the ambient light port.



10. Connect the armrest light to the power cable.



11. Reinstall the lower trim.



12. Reconnect original door panel cables.



13. Reinstall the door panel and screw it back.



14. Installation Complete

Faults	Reasons	Solutions
Light color doesn't match original car	Wiring issue	Check if the wiring harness is pinched
Light not working	1. Power cable 2. Broken wire	1. Reconnect the wiring harness 2. Check if the armrest light wire was pinched during installation
Affects original door button after installation	Improper installation	Remove and reinstall the armrest light properly

Hansshow provides 1-year extended warranty service.
Send us your customer number to get 1-year full warranty.

Message and Telephone: +1949-992-7017

Installation Appointment: +1 (949) 358-4793

Email: inquiry@hansshow.com

(UTC-7/PST)9:00AM-6.30PM (Monday to Friday)



www.hansshow.com

Designed by HANSSHOW

Need Help? Contact Us Now!

If you have any questions, please contact us at

  **1 (949) 992-7017**

(UTC-7/PST)9:00AM-6.30PM (Monday to Friday)

Installation: 19493584793  inquiry@hansshow.com  www.hansshow.com

Before contacting our customer support, please have your **order number, videos, or images** (if needed) ready for a fast and great solution. Send your customer number to get Hansshow **one-year** extended warranty.