


parts list diagram



A	Highland Tail Light AssembliesFull-Width Through Shape LED Taillight	B	Parallel taillight
C	Parallel taillight	D	

1. Tools required for installation:
No. 8 socket, gloves, plastic tools, and tape.

Note: Please ensure that the screen is powered off to prevent fault reporting.

Tip : For faster installation, be sure to read these instructions carefully.

Warnings and Disclaimers

Important notice: You are welcome to purchase our company's products. In order to protect the legitimate rights and interests of users, we hereby remind users that you must carefully read and fully understand the terms of this statement before using this product. If you use this product, your use will be deemed to be an acknowledgment of the entire content of this statement, and you agree to be bound by the following terms of this statement, and at the same time bear the consequences caused by irregular use. Hanxiao Company reserves the right to update the above documents. Please be sure to operate this product according to the instructions.

Precautions for use

1. Before installation, check whether the product list is complete and damaged.
2. The installation instructions may be slightly different from the actual operation. If there is any difference, please contact us according to the actual situation.
3. Warning: Please do not disassemble any parts by yourself. Any improper operation is not covered by the warranty.
4. Before installing the product, watch the installation video and instructions.
5. Check whether the installed product functions normally.



Installation Manual

After-sales contact:
phone: 19499927013
19499927017
Email:
inquiry@hansshow.com

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:




1. Remove the panel lining the trunk of your vehicle.



2. Unplug the switch plug of the electric tailgate button.

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:

Hansshow®



3. Unscrew the original taillight fixing nut in the red circle (same operation on the right side)



4. Unplug the original taillight plug (same operation on the right side).

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:

Hansshow®



5. Remove the original taillight (operate in the same way on the right side).



6. Unscrew the screws in the red circle and remove the original taillight cover (as shown in the left picture). Then install the cover on the new taillight according to the right picture, aligning it with the position in the red circle (same operation on the right side).



Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:

Hansshow®



7.Insert the parallel taillight harness into the original vehicle hole position and install the taillight (same operation on the right side).



8.Insert the middle through taillight harness along the original vehicle hole and install the through taillight (the same operation is done on the right side).

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:

Hansshow®




9. Insert the parallel tail light plugs ② on the left and right sides into the plug ③ that goes through the tail light.



10. Insert the original taillight plug into the parallel taillight plug①.

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Installation Steps:

Hansshow®



11. Reinstall and tighten the removed original taillight nut (same on the right side).



12. Plug in the electric tailgate switch and install the lining plate back.

Tesla Model 3 Highland Tail Light AssembliesFull-Width Through Shape LED Taillight Display

Hansshow®



13.The effect is as shown in the picture

Malfunction	Reason	Solutions
No running water effect	White signal plug is not plugged in properly	Unplug and plug back in
Tail light does not light up	The original car plug and taillight plug are not plugged in properly	Unplug and plug back in
One side is not lit	White signal plug is not plugged in properly	Unplug and plug back in

Warranty and Support

Hansshow®

Hansshow provides 1 - year extended warranty service.
Send us your customer number to get 1 - year full warranty.

Email:
inquiry@hansshow.com



www.hautopart.com

Designed by HANSSHOW